

24/04/10 17:23:04 ERROR Uncaught throwable from user code:
org.apache.spark.sql.streaming.StreamingQueryException:
org.apache.spark.sql.types.StructType.toAttributes()Lscala/collection/Seq;
=== Streaming Query ===
Identifier: [id = d4615291-240c-4fba-adbe-e3bb0190521c, runId =
8646108a-712c-4fd0-aebf-124104d491a6]
Current Start Offsets: {}
Current End Offsets:
{DeltaSource[abfss://raw@125874d1stadlraw.dfs.core.windows.net/raw/tables/__unityst
orage/catalogs/f6690e6b-ecab-4f0c-b019-7929d8048177/tables/2ba26f23-7b8b-4f3c-a847-4
ee4e821a85d]:
{"sourceVersion":1,"reservoirId":"d551b20b-6694-4dca-ad13-bd71d0c1dd00","reservoirVe
rsion":2516,"index":-1,"isStartingVersion":false}}

Current State: ACTIVE
Thread State: RUNNABLE

Logical Plan:

WriteToMicroBatchDataSourceV1 PulsarSink, d4615291-240c-4fba-adbe-e3bb0190521c,
[pulsar.client.tlsTrustStoreType=JKS,
pulsar.client.authPluginClassName=***** (redacted),
pulsar.client.tlsTrustStorePassword=***** (redacted),
pulsar.client.useKeyStoreTls=true, pulsar.client.authParams=***** (redacted),
checkpointLocation=/Volumes/reporting_dev/177035-pulsar-dbx-streaming/tzdwd2_vol/dbx
-pulsar-write/cp1,
pulsar.client.tlsTrustStorePath=/Volumes/reporting_dev/177035-pulsar-dbx-streaming/t
zdwd2_vol/maxio.jks, service.url=***** (redacted),
topic=persistent://18173-MAXIO/EN-DEV-NA-DBX/DBX_INBOUND_POC], Append
+- Project [to_json(struct(lat, lat#3378, lng, lng#3379, stId, stId#3380, vin,
vin#3381), Some(Etc/UTC)) AS value#3386]
+- StreamingExecutionRelation
DeltaSource[abfss://raw@125874d1stadlraw.dfs.core.windows.net/raw/tables/__unitysto
rage/catalogs/f6690e6b-ecab-4f0c-b019-7929d8048177/tables/2ba26f23-7b8b-4f3c-a847-4e
e4e821a85d], [lat#3378, lng#3379, stId#3380, vin#3381],
`reporting_dev`.`177035-pulsar-dbx-streaming`.`dbx_pulsar_poc`

at
org.apache.spark.sql.execution.streaming.StreamExecution.\$anonfun\$runStream\$1(Stream
Execution.scala:482)
at scala.runtime.java8.JFunction0\$mcV\$sp.apply(JFunction0\$mcV\$sp.java:23)
at
com.databricks.logging.UsageLogging.\$anonfun\$withAttributionContext\$1(UsageLogging.s
cala:426)
at scala.util.DynamicVariable.withValue(DynamicVariable.scala:62)
at
com.databricks.logging.AttributionContext\$.withValue(AttributionContext.scala:216)
at
com.databricks.logging.UsageLogging.withAttributionContext(UsageLogging.scala:424)
at
com.databricks.logging.UsageLogging.withAttributionContext\$(UsageLogging.scala:418)

```
    at
com.databricks.spark.util.PublicDBLogging.withAttributionContext(DatabricksSparkUsageLogger.scala:27)
    at
com.databricks.logging.UsageLogging.withAttributionTags(UsageLogging.scala:472)
    at
com.databricks.logging.UsageLogging.withAttributionTags$(UsageLogging.scala:455)
    at
com.databricks.spark.util.PublicDBLogging.withAttributionTags(DatabricksSparkUsageLogger.scala:27)
    at
com.databricks.spark.util.PublicDBLogging.withAttributionTags0(DatabricksSparkUsageLogger.scala:72)
    at
com.databricks.spark.util.DatabricksSparkUsageLogger.withAttributionTags(DatabricksSparkUsageLogger.scala:172)
    at
com.databricks.spark.util.UsageLogging.$anonfun$withAttributionTags$1(UsageLogger.scala:491)
    at
com.databricks.spark.util.UsageLogging$.withAttributionTags(UsageLogger.scala:603)
    at
com.databricks.spark.util.UsageLogging$.withAttributionTags(UsageLogger.scala:612)
    at
com.databricks.spark.util.UsageLogging.withAttributionTags(UsageLogger.scala:491)
    at
com.databricks.spark.util.UsageLogging.withAttributionTags$(UsageLogger.scala:489)
    at
org.apache.spark.sql.execution.streaming.StreamExecution.withAttributionTags(StreamExecution.scala:84)
    at
org.apache.spark.sql.execution.streaming.StreamExecution.org$apache$spark$sql$execution$streaming$StreamExecution$$runStream(StreamExecution.scala:378)
    at
org.apache.spark.sql.execution.streaming.StreamExecution$$anon$1.$anonfun$run$3(StreamExecution.scala:282)
    at scala.runtime.java8.JFunction0$mcV$sp.apply(JFunction0$mcV$sp.java:23)
    at
org.apache.spark.JobArtifactSet$.withActiveJobArtifactState(JobArtifactSet.scala:97)
    at
org.apache.spark.sql.execution.streaming.StreamExecution$$anon$1.$anonfun$run$2(StreamExecution.scala:282)
    at scala.runtime.java8.JFunction0$mcV$sp.apply(JFunction0$mcV$sp.java:23)
    at
com.databricks.unity.UCSEphemeralState$Handle.runWith(UCSEphemeralState.scala:45)
    at com.databricks.unity.HandleImpl.runWith(UCSHandle.scala:103)
    at
com.databricks.unity.HandleImpl.$anonfun$runWithAndClose$1(UCSHandle.scala:108)
    at scala.util.Using$.resource(Using.scala:269)
    at com.databricks.unity.HandleImpl.runWithAndClose(UCSHandle.scala:107)
```

```
    at
org.apache.spark.sql.execution.streaming.StreamExecution$$anon$1.run(StreamExecution
.scala:281)
Caused by: java.lang.NoSuchMethodError:
org.apache.spark.sql.types.StructType.toAttributes()Lscala/collection/Seq;
    at org.apache.spark.sql.pulsar.PulsarSink.addBatch(PulsarSinks.scala:47)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.addBatch(MicroBatchExec
ution.scala:1236)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.$anonfun$runBatch$19(Mi
croBatchExecution.scala:1465)
    at scala.runtime.java8.JFunction0$mcV$sp.apply(JFunction0$mcV$sp.java:23)
    at
org.apache.spark.sql.execution.streaming.ProgressContext.reportTimeTaken(ProgressRep
orter.scala:204)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.markAndTimeCollectBatch
(MicroBatchExecution.scala:1244)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.$anonfun$runBatch$17(Mi
croBatchExecution.scala:1465)
    at
org.apache.spark.sql.execution.SQLExecution$. $anonfun$withNewExecutionId0$9(SQLExecu
tion.scala:376)
    at
org.apache.spark.sql.execution.SQLExecution$.withSQLConfPropagated(SQLExecution.sca
la:654)
    at
org.apache.spark.sql.execution.SQLExecution$. $anonfun$withNewExecutionId0$1(SQLExecu
tion.scala:265)
    at org.apache.spark.sql.SparkSession.withActive(SparkSession.scala:1175)
    at
org.apache.spark.sql.execution.SQLExecution$.withNewExecutionId0(SQLExecution.scala:
162)
    at
org.apache.spark.sql.execution.SQLExecution$.withNewExecutionId(SQLExecution.scala:5
96)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.$anonfun$runBatch$16(Mi
croBatchExecution.scala:1445)
    at
org.apache.spark.sql.execution.streaming.ProgressContext.reportTimeTaken(ProgressRep
orter.scala:204)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.runBatch(MicroBatchExec
ution.scala:1445)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.$anonfun$executeOneBatc
h$6(MicroBatchExecution.scala:761)
```

```
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.handleDataSourceException(MicroBatchExecution.scala:1813)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.$anonfun$executeOneBatch$5(MicroBatchExecution.scala:761)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.withSchemaEvolution(MicroBatchExecution.scala:1781)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.$anonfun$executeOneBatch$4(MicroBatchExecution.scala:757)
    at scala.runtime.java8.JFunction0$mcV$sp.apply(JFunction0$mcV$sp.java:23)
    at
org.apache.spark.sql.execution.streaming.ProgressContext.reportTimeTaken(ProgressReporter.scala:204)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.$anonfun$executeOneBatch$3(MicroBatchExecution.scala:717)
    at scala.runtime.java8.JFunction0$mcV$sp.apply(JFunction0$mcV$sp.java:23)
    at
com.databricks.logging.UsageLogging.$anonfun$withAttributionContext$1(UsageLogging.scala:426)
    at scala.util.DynamicVariable.withValue(DynamicVariable.scala:62)
    at
com.databricks.logging.AttributionContext$.withValue(AttributionContext.scala:216)
    at
com.databricks.logging.UsageLogging.withAttributionContext(UsageLogging.scala:424)
    at
com.databricks.logging.UsageLogging.withAttributionContext$(UsageLogging.scala:418)
    at
com.databricks.spark.util.PublicDBLogging.withAttributionContext(DatabricksSparkUsageLogger.scala:27)
    at
com.databricks.logging.UsageLogging.withAttributionTags(UsageLogging.scala:472)
    at
com.databricks.logging.UsageLogging.withAttributionTags$(UsageLogging.scala:455)
    at
com.databricks.spark.util.PublicDBLogging.withAttributionTags(DatabricksSparkUsageLogger.scala:27)
    at
com.databricks.spark.util.PublicDBLogging.withAttributionTags0(DatabricksSparkUsageLogger.scala:72)
    at
com.databricks.spark.util.DatabricksSparkUsageLogger.withAttributionTags(DatabricksSparkUsageLogger.scala:172)
    at
com.databricks.spark.util.UsageLogging.$anonfun$withAttributionTags$1(UsageLogger.scala:491)
    at
```

```
com.databricks.spark.util.UsageLogging$.withAttributionTags(UsageLogger.scala:603)
  at
com.databricks.spark.util.UsageLogging$.withAttributionTags(UsageLogger.scala:612)
  at
com.databricks.spark.util.UsageLogging.withAttributionTags(UsageLogger.scala:491)
  at
com.databricks.spark.util.UsageLogging.withAttributionTags$(UsageLogger.scala:489)
  at
org.apache.spark.sql.execution.streaming.StreamExecution.withAttributionTags(StreamE
xecution.scala:84)
  at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.executeOneBatch(MicroBa
tchExecution.scala:711)
  at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.$anonfun$runActivatedSt
reamWithListener$1(MicroBatchExecution.scala:670)
  at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.$anonfun$runActivatedSt
reamWithListener$1$adapted(MicroBatchExecution.scala:670)
  at
org.apache.spark.sql.execution.streaming.TriggerExecutor.runOneBatch(TriggerExecuto
r.scala:83)
  at
org.apache.spark.sql.execution.streaming.TriggerExecutor.runOneBatch$(TriggerExecuto
r.scala:71)
  at
org.apache.spark.sql.execution.streaming.ProcessingTimeExecutor.runOneBatch(TriggerE
xecutor.scala:128)
  at
org.apache.spark.sql.execution.streaming.ProcessingTimeExecutor.execute(TriggerExecu
tor.scala:141)
  at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.runActivatedStreamWithL
istener(MicroBatchExecution.scala:670)
  at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.runActivatedStream(Micr
oBatchExecution.scala:458)
  at
org.apache.spark.sql.execution.streaming.StreamExecution.$anonfun$runStream$2(Stream
Execution.scala:447)
    at scala.runtime.java8.JFunction0$mcV$sp.apply(JFunction0$mcV$sp.java:23)
    at org.apache.spark.sql.Session.withActive(Session.scala:1175)
    at
org.apache.spark.sql.execution.streaming.StreamExecution.$anonfun$runStream$1(Stream
Execution.scala:398)
    at scala.runtime.java8.JFunction0$mcV$sp.apply(JFunction0$mcV$sp.java:23)
    at
com.databricks.logging.UsageLogging.$anonfun$withAttributionContext$1(UsageLogging.s
cala:426)
    at scala.util.DynamicVariable.withValue(DynamicVariable.scala:62)
```

```
at
com.databricks.logging.AttributionContext$.withValue(AttributionContext.scala:216)
at
com.databricks.logging.UsageLogging.withAttributionContext(UsageLogging.scala:424)
at
com.databricks.logging.UsageLogging.withAttributionContext$(UsageLogging.scala:418)
at
com.databricks.spark.util.PublicDBLogging.withAttributionContext(DatabricksSparkUsage
Logger.scala:27)
at
com.databricks.logging.UsageLogging.withAttributionTags(UsageLogging.scala:472)
at
com.databricks.logging.UsageLogging.withAttributionTags$(UsageLogging.scala:455)
at
com.databricks.spark.util.PublicDBLogging.withAttributionTags(DatabricksSparkUsageLo
gger.scala:27)
at
com.databricks.spark.util.PublicDBLogging.withAttributionTags0(DatabricksSparkUsageL
ogger.scala:72)
at
com.databricks.spark.util.DatabricksSparkUsageLogger.withAttributionTags(DatabricksS
parkUsageLogger.scala:172)
at
com.databricks.spark.util.UsageLogging.$anonfun$withAttributionTags$1(UsageLogger.sc
ala:491)
at
com.databricks.spark.util.UsageLogging$.withAttributionTags(UsageLogger.scala:603)
at
com.databricks.spark.util.UsageLogging$.withAttributionTags(UsageLogger.scala:612)
at
com.databricks.spark.util.UsageLogging.withAttributionTags(UsageLogger.scala:491)
at
com.databricks.spark.util.UsageLogging.withAttributionTags$(UsageLogger.scala:489)
at
org.apache.spark.sql.execution.streaming.StreamExecution.withAttributionTags(StreamE
xecution.scala:84)
at
org.apache.spark.sql.execution.streaming.StreamExecution.org$apache$spark$sql$execut
ion$streaming$StreamExecution$$runStream(StreamExecution.scala:378)
at
org.apache.spark.sql.execution.streaming.StreamExecution$$anon$1.$anonfun$run$3(Stre
amExecution.scala:282)
at scala.runtime.java8.JFunction0$mcV$sp.apply(JFunction0$mcV$sp.java:23)
at
org.apache.spark.JobArtifactSet$.withActiveJobArtifactState(JobArtifactSet.scala:97)
at
org.apache.spark.sql.execution.streaming.StreamExecution$$anon$1.$anonfun$run$2(Stre
amExecution.scala:282)
at scala.runtime.java8.JFunction0$mcV$sp.apply(JFunction0$mcV$sp.java:23)
at
```

```
com.databricks.unity.UCSEphemeralState$Handle.runWith(UCSEphemeralState.scala:45)
    at com.databricks.unity.HandleImpl.runWith(UCSHandle.scala:103)
    at
com.databricks.unity.HandleImpl.$anonfun$runWithAndClose$1(UCSHandle.scala:108)
    at scala.util.Using$.resource(Using.scala:269)
    at com.databricks.unity.HandleImpl.runWithAndClose(UCSHandle.scala:107)
    at
org.apache.spark.sql.execution.streaming.StreamExecution$$anon$1.run(StreamExecution
.scala:281)
ERROR: Query termination received for [id=d4615291-240c-4fba-adbe-e3bb0190521c,
runId=8646108a-712c-4fd0-aebf-124104d491a6], with exception:
java.lang.NoSuchMethodError:
org.apache.spark.sql.types.StructType.toAttributes()Lscala/collection/Seq;
    at org.apache.spark.sql.pulsar.PulsarSink.addBatch(PulsarSinks.scala:47)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.addBatch(MicroBatchExec
ution.scala:1236)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.$anonfun$runBatch$19(Mi
croBatchExecution.scala:1465)
    at scala.runtime.java8.JFunction0$mcV$sp.apply(JFunction0$mcV$sp.java:23)
    at
org.apache.spark.sql.execution.streaming.ProgressContext.reportTimeTaken(ProgressRep
orter.scala:204)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.markAndTimeCollectBatch
(MicroBatchExecution.scala:1244)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.$anonfun$runBatch$17(Mi
croBatchExecution.scala:1465)
    at
org.apache.spark.sql.execution.SQLExecution$. $anonfun$withNewExecutionId0$9(SQLExecu
tion.scala:376)
    at
org.apache.spark.sql.execution.SQLExecution$.withSQLConfPropagated(SQLExecution.scal
a:654)
    at
org.apache.spark.sql.execution.SQLExecution$. $anonfun$withNewExecutionId0$1(SQLExecu
tion.scala:265)
    at org.apache.spark.sql.SparkSession.withActive(SparkSession.scala:1175)
    at
org.apache.spark.sql.execution.SQLExecution$.withNewExecutionId0(SQLExecution.scala:
162)
    at
org.apache.spark.sql.execution.SQLExecution$.withNewExecutionId(SQLExecution.scala:5
96)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.$anonfun$runBatch$16(Mi
croBatchExecution.scala:1445)
    at
```

```
org.apache.spark.sql.execution.streaming.ProgressContext.reportTimeTaken(ProgressReporter.scala:204)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.runBatch(MicroBatchExecution.scala:1445)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.$anonfun$executeOneBatch$6(MicroBatchExecution.scala:761)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.handleDataSourceException(MicroBatchExecution.scala:1813)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.$anonfun$executeOneBatch$5(MicroBatchExecution.scala:761)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.withSchemaEvolution(MicroBatchExecution.scala:1781)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.$anonfun$executeOneBatch$4(MicroBatchExecution.scala:757)
    at scala.runtime.java8.JFunction0$mcV$sp.apply(JFunction0$mcV$sp.java:23)
    at
org.apache.spark.sql.execution.streaming.ProgressContext.reportTimeTaken(ProgressReporter.scala:204)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.$anonfun$executeOneBatch$3(MicroBatchExecution.scala:717)
    at scala.runtime.java8.JFunction0$mcV$sp.apply(JFunction0$mcV$sp.java:23)
    at
com.databricks.logging.UsageLogging.$anonfun$withAttributionContext$1(UsageLogging.scala:426)
    at scala.util.DynamicVariable.withValue(DynamicVariable.scala:62)
    at
com.databricks.logging.AttributionContext$.withValue(AttributionContext.scala:216)
    at
com.databricks.logging.UsageLogging.withAttributionContext(UsageLogging.scala:424)
    at
com.databricks.logging.UsageLogging.withAttributionContext$(UsageLogging.scala:418)
    at
com.databricks.spark.util.PublicDBLogging.withAttributionContext(DatabricksSparkUsageLogger.scala:27)
    at
com.databricks.logging.UsageLogging.withAttributionTags(UsageLogging.scala:472)
    at
com.databricks.logging.UsageLogging.withAttributionTags$(UsageLogging.scala:455)
    at
com.databricks.spark.util.PublicDBLogging.withAttributionTags(DatabricksSparkUsageLogger.scala:27)
    at
com.databricks.spark.util.PublicDBLogging.withAttributionTags0(DatabricksSparkUsageL
```



```
ogger.scala:72)
    at
com.databricks.spark.util.DatabricksSparkUsageLogger.withAttributionTags(DatabricksS
parkUsageLogger.scala:172)
    at
com.databricks.spark.util.UsageLogging.$anonfun$withAttributionTags$1(UsageLogger.sc
ala:491)
    at
com.databricks.spark.util.UsageLogging$.withAttributionTags(UsageLogger.scala:603)
    at
com.databricks.spark.util.UsageLogging$.withAttributionTags(UsageLogger.scala:612)
    at
com.databricks.spark.util.UsageLogging.withAttributionTags(UsageLogger.scala:491)
    at
com.databricks.spark.util.UsageLogging.withAttributionTags$(UsageLogger.scala:489)
    at
org.apache.spark.sql.execution.streaming.StreamExecution.withAttributionTags(StreamE
xecution.scala:84)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.executeOneBatch(MicroBa
tchExecution.scala:711)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.$anonfun$runActivatedSt
reamWithListener$1(MicroBatchExecution.scala:670)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.$anonfun$runActivatedSt
reamWithListener$1$adapted(MicroBatchExecution.scala:670)
    at
org.apache.spark.sql.execution.streaming.TriggerExecutor.runOneBatch(TriggerExecuto
r.scala:83)
    at
org.apache.spark.sql.execution.streaming.TriggerExecutor.runOneBatch$(TriggerExecuto
r.scala:71)
    at
org.apache.spark.sql.execution.streaming.ProcessingTimeExecutor.runOneBatch(TriggerE
xecutor.scala:128)
    at
org.apache.spark.sql.execution.streaming.ProcessingTimeExecutor.execute(TriggerExecu
tor.scala:141)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.runActivatedStreamWithL
istener(MicroBatchExecution.scala:670)
    at
org.apache.spark.sql.execution.streaming.MicroBatchExecution.runActivatedStream(Micr
oBatchExecution.scala:458)
    at
org.apache.spark.sql.execution.streaming.StreamExecution.$anonfun$runStream$2(Stream
Execution.scala:447)
    at scala.runtime.java8.JFunction0$mcV$sp.apply(JFunction0$mcV$sp.java:23)
    at org.apache.spark.sql.Session.withActive(Session.scala:1175)
```

```
at
org.apache.spark.sql.execution.streaming.StreamExecution.$anonfun$runStream$1(Stream
Execution.scala:398)
  at scala.runtime.java8.JFunction0$mcV$sp.apply(JFunction0$mcV$sp.java:23)
  at
com.databricks.logging.UsageLogging.$anonfun$withAttributionContext$1(UsageLogging.s
cala:426)
  at scala.util.DynamicVariable.withValue(DynamicVariable.scala:62)
  at
com.databricks.logging.AttributionContext$.withValue(AttributionContext.scala:216)
  at
com.databricks.logging.UsageLogging.withAttributionContext(UsageLogging.scala:424)
  at
com.databricks.logging.UsageLogging.withAttributionContext$(UsageLogging.scala:418)
  at
com.databricks.spark.util.PublicDBLogging.withAttributionContext(DatabricksSparkUsag
eLogger.scala:27)
  at
com.databricks.logging.UsageLogging.withAttributionTags(UsageLogging.scala:472)
  at
com.databricks.logging.UsageLogging.withAttributionTags$(UsageLogging.scala:455)
  at
com.databricks.spark.util.PublicDBLogging.withAttributionTags(DatabricksSparkUsageLo
gger.scala:27)
  at
com.databricks.spark.util.PublicDBLogging.withAttributionTags0(DatabricksSparkUsagel
ogger.scala:72)
  at
com.databricks.spark.util.DatabricksSparkUsageLogger.withAttributionTags(DatabricksS
parkUsageLogger.scala:172)
  at
com.databricks.spark.util.UsageLogging.$anonfun$withAttributionTags$1(UsageLogger.sc
ala:491)
  at
com.databricks.spark.util.UsageLogging$.withAttributionTags(UsageLogger.scala:603)
  at
com.databricks.spark.util.UsageLogging$.withAttributionTags(UsageLogger.scala:612)
  at
com.databricks.spark.util.UsageLogging.withAttributionTags(UsageLogger.scala:491)
  at
com.databricks.spark.util.UsageLogging.withAttributionTags$(UsageLogger.scala:489)
  at
org.apache.spark.sql.execution.streaming.StreamExecution.withAttributionTags(StreamE
xecution.scala:84)
  at
org.apache.spark.sql.execution.streaming.StreamExecution.org$apache$spark$sql$execut
ion$streaming$StreamExecution$$runStream(StreamExecution.scala:378)
  at
org.apache.spark.sql.execution.streaming.StreamExecution$$anon$1.$anonfun$run$3(Stre
amExecution.scala:282)
```

```
    at scala.runtime.java8.JFunction0$mcV$sp.apply(JFunction0$mcV$sp.java:23)
    at
org.apache.spark.JobArtifactSet$.withActiveJobArtifactState(JobArtifactSet.scala:97)
    at
org.apache.spark.sql.execution.streaming.StreamExecution$$anon$1.$anonfun$run$2(Stream
Execution.scala:282)
    at scala.runtime.java8.JFunction0$mcV$sp.apply(JFunction0$mcV$sp.java:23)
    at
com.databricks.unity.UCSEphemeralState$Handle.runWith(UCSEphemeralState.scala:45)
    at com.databricks.unity.HandleImpl.runWith(UCSHandle.scala:103)
    at
com.databricks.unity.HandleImpl.$anonfun$runWithAndClose$1(UCSHandle.scala:108)
    at scala.util.Using$.resource(Using.scala:269)
    at com.databricks.unity.HandleImpl.runWithAndClose(UCSHandle.scala:107)
    at
org.apache.spark.sql.execution.streaming.StreamExecution$$anon$1.run(StreamExecution
.scala:281)
```